

2020-01-22

# First record of the Atlantic spadefish *Chaetodipterus faber* (Broussonet, 1782) in the Mediterranean Sea: is it a new aquarium release?

Giovos, I

<http://hdl.handle.net/10026.1/15334>

---

BioInvasions Records

Regional Euro-Asian Biological Invasions Centre

---

*All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.*

## CORRECTED PROOF

## Rapid Communication

**First record of the Atlantic spadefish *Chaetodipterus faber* (Broussonet, 1782) in the Mediterranean Sea: is it a new aquarium release?**

Ioannis Giovos<sup>1,\*</sup>, Francesco Tiralongo<sup>2,3</sup>, Joachim Langeneck<sup>4</sup>, Alexander Kaminas<sup>1</sup>, Periklis Kleitou<sup>1,5</sup>, Fabio Crocetta<sup>6</sup> and Nikos Doumpas<sup>1</sup>

<sup>1</sup>*Sea, Environmental Organization for the Preservation of the Aquatic Ecosystems, Thessaloniki, Greece*

<sup>2</sup>*Ente Fauna Marina Mediterranean, Scientific Organization for Research and Conservation of Marine Biodiversity, Avola, Italy*

<sup>3</sup>*Department of Biological, Geological and Environmental Science, University of Catania, Catania, Italy*

<sup>4</sup>*Department of Biology, University of Pisa, Pisa, Italy*

<sup>5</sup>*Marine and Environmental Research (MER) Lab Ltd., Limassol, Cyprus*

<sup>6</sup>*Department of Integrative Marine Ecology, Stazione Zoologica Anton Dohrn, Villa Comunale, I-80121 Napoli, Italy*

Author e-mails: [ioannis.giovos@isea.com.gr](mailto:ioannis.giovos@isea.com.gr) (IG), [francesco.tiralongo@unict.it](mailto:francesco.tiralongo@unict.it) (FT), [jlangeneck@biologia.unipi.it](mailto:jlangeneck@biologia.unipi.it) (JL), [kaminas.alex@gmail.com](mailto:kaminas.alex@gmail.com) (AK), [pkleitou@merresearch.com](mailto:pkleitou@merresearch.com) (PK), [fabio.crocetta@szn.it](mailto:fabio.crocetta@szn.it) (FC), [nikolaos.doumpas@isea.com.gr](mailto:nikolaos.doumpas@isea.com.gr) (ND)

\*Corresponding author

**Citation:** Giovos I, Tiralongo F, Langeneck J, Kaminas A, Kleitou P, Crocetta F, Doumpas N (2020) First record of the Atlantic spadefish *Chaetodipterus faber* (Broussonet, 1782) in the Mediterranean Sea: is it a new aquarium release? *BioInvasions Records* 9 (in press)

**Received:** 14 November 2019

**Accepted:** 8 January 2020

**Published:** 22 January 2020

**Handling editor:** Nir Stern

**Thematic editor:** Stelios Katsanevakis

**Copyright:** © Giovos et al.

This is an open access article distributed under terms of the Creative Commons Attribution License (Attribution 4.0 International - CC BY 4.0).

## OPEN ACCESS

**Abstract**

The Atlantic spadefish *Chaetodipterus faber* (Broussonet, 1782) belongs to the family Ehippidae Bleeker, 1859 and is a widely distributed species in the Western Atlantic. In this work we present the record of a single specimen of *C. faber* captured by a professional fisher in Argosaronikos Gulf, Greece. The present sighting, reported through the citizen science project “Is it Alien to you? Share it!!!”, constitutes the first record of this species in the Mediterranean Sea. Given the distance from the Strait of Gibraltar and the absence of any report from western Mediterranean and eastern Atlantic countries, we argue that the specimen is likely to have been released from an aquarium hobbyist. With this record, a total of 27 alien fish species have been likely introduced in the Mediterranean through this pathway, all after year 2000. An increasing trend has been observed and we urge national authorities and relevant stakeholders for their cooperation on increasing the awareness of aquarium trade industry, while we also highlight the effectiveness of citizen science as an early warning system for alien species in the Mediterranean.

**Key words:** biological invasions, alien species, citizen science, Ehippidae, Greece, Aegean Sea

**Introduction**

The family Ehippidae Bleeker, 1859 comprises 20 omnivorous, deep-bodied, marine- and brackish-water fishes, commonly known as spadefishes (Froese and Pauly 2019). The Atlantic spadefish *Chaetodipterus faber* (Broussonet, 1782) is widely distributed in the Western Atlantic coast, from Boston down to south Brazil (Figueiredo et al. 2002) and can be found in large schools of up to 500 individuals along the coast over wrecks, reefs and brackish lagoons or around buoys, mangroves, under bridges and in harbors (Lieske and Myers 1994). It can be also found mimicking dead leaves or floating debris (Lieske and Myers 1994). It feeds on crustaceans, mollusks, annelids,

cnidarians, as well as plankton, and can reach up to ~ 90 cm TL (Robins and Ray 1986) (more commonly ~ 50 cm: see Figueiredo et al. 2002); it usually reaches sexual maturity at ~ 13.5 cm (Hayse 1990). Notably, this taxon is not only quite popular among recreational fishers, but also in aquarium trade, with a relatively higher market demand worldwide (Froese and Pauly 2019).

Such interest by aquarists makes it liable to be introduced to foreign ecosystems by being released outside its native range. Indeed, aquarium trade is considered as an important pathway of introductions worldwide (Padilla and Williams 2004), and it ranks fourth among the most significant pathways for the introduction of fishes, invertebrates, and plants even in Europe, including the Mediterranean Sea (Katsanevakis et al. 2013; Tsiamis et al. 2018). In Greece, several alien species were recorded with intentional or unintentional release from aquaria as the most probable pathway (Zenetos et al. 2018 and references within).

Citizen science is an effective tool for monitoring marine non-indigenous species (NIS) in the Mediterranean Sea (Crocetta et al. 2015; Tiralongo et al. 2019; Giovos et al. 2019). The number of projects and efforts has increased significantly in the last years (e.g. AlienFish, Mediterranean Marine Life, Oddfish, Spot the Alien Fish etc; see Giovos et al. 2019). In 2016, iSea launched the citizen science project “Is it alien to you? Share it!!!” with the main aim to improve the knowledge on the distribution and the expansion of NIS in Greece and the entire Mediterranean Sea. The project has an online data platform, in which citizen scientists can easily upload photographic material along with information about the specimen size, observation depth, substrate type, number of specimens, exact location (coordinates), date, and type of observation. A team of taxonomic experts identifies the species to the lowest taxonomic level possible and validates the observation before a record is uploaded in the project’s database (see Giovos et al. 2019). Hereby, we present the first record of *C. faber* in the entire Mediterranean basin, based on an observation reported to the project, and the consequent examination of the specimen.


## Materials and methods

The donated specimen was examined in the lab, and all the morphological measurements and meristic counts were taken to allow a definite identification following Randall (1996).

Moreover, an exhaustive review took place, based on previous work by Zenetos et al. (2016), for summarizing all the reports of alien species in the Mediterranean suspected to be introduced via aquarium trade.

## Results

In November 2019, a citizen scientist reported a capture of an unknown fish species (Figure 1) in the project’s platform. The specimen was captured by a professional fisher, friend of the reporter, with fixed-nets on the 6<sup>th</sup> of



**Figure 1.** The Atlantic spadefish specimen captured in Argosaronikos Gulf by a small-scale fisher with nets and reported to the project “Is it Alien to you? Share it!!!”

**Table 1.** Morphometric and meristic measurements of the captured Atlantic spadefish specimen examined in the context of the present study.

Morphometric characteristics	cm
Total length	28,9
Fork length	27,8
Standard length	23,5
Pre-anal length	11
Head length	6,6
Eye diameter	1,5
Snout length	5,1
Body height	18
Fin rays	No
Dorsal spines	9
Dorsal rays	22
Anal spines	3
Anal rays	18
Weight	gr
Total weight	791
Liver weight	23

November 2019, at 30 m depth, in Isthmia (37.911468°N; 23.013841°E), Argosaronikos Gulf (Aegean Sea). It was soon identified by the iSea taxonomic experts as *Chaetodipterus faber* on the basis of the following morphological traits: disk-shaped body, blunt snout, irregular 4–6 black vertical bands with first running through eye and last running through caudal peduncle (Randall 1996). Consequently, the project’s team contacted the reporter in order to retrieve the specimen. The fisher donated the specimen, and the identification was further confirmed on the basis of the following morphological traits: 9 dorsal spines and 21–24 soft dorsal rays, 3 anal spines and 17–19 anal rays, and jaw with small and brushlike teeth (absent on roof of mouth) (Randall 1996). Morphological measurements and meristic counts of the specimen are reported in Table 1.


**Table 2.** List of alien fish species suspected to be introduced in the Mediterranean via aquarium trade.

Species	Origin	Year	Country	Source
<i>Siganus virgatus</i> (Valenciennes, 1835)	Indo – Pacific	1975	Croatia	Ahnelt (2016)
<i>Pseudanthias squamipinnis</i> (Peters, 1855)	Indo-West Pacific/Red Sea	2000	Lebanon	Bitar (2013)
<i>Epinephelus merra</i> Bloch, 1793	Indo-Pacific	2004	France	Lelong (2005)
<i>Lutjanus jocu</i> (Bloch & Schneider, 1801)	West Atlantic	2005	Italy	Vacchi et al. (2010)
<i>Platax teira</i> (Forsskål, 1775)	Indo-West Pacific/Red Sea	2006	Turkey	Bilecenoglu and Kaya (2006)
<i>Scatophagus argus</i> (Linnaeus, 1766)	Indo-Pacific	2007	Malta	Zammit and Schembri (2011)
<i>Zebrasoma flavescens</i> (Bennett, 1828)	Pacific	2008	Spain	Weitzmann et al. (2015)
<i>Pomacanthus imperator</i> (Bloch, 1787)	Indo-West Pacific/Red Sea	2009	Israel	Golani et al. (2010)
<i>Pomacanthus maculosus</i> (Forsskål, 1775)	West Indian/Red Sea	2009	Lebanon, Israel	Bariche (2010); Salameh et al. (2012)
<i>Lutjanus sebae</i> (Cuvier, 1816)	Indo-West Pacific/Red Sea	2010	Greece	Zenetos et al. (2016)
<i>Acanthurus coeruleus</i> Bloch & J.G. Schneider, 1801	West Atlantic	2011	Cyprus	Langeneck et al. (2012)
<i>Balistoides conspicillum</i> (Bloch & Schneider, 1801)	Indo-West Pacific	2012	Spain	Weitzmann et al. (2015)
<i>Acanthurus chirurgus</i> (Bloch, 1787)	West Atlantic	2012	Italy	Langeneck et al. (2015)
<i>Chrysiptera cyanea</i> (Quoy & Gaimard, 1825)	Indo-West Pacific	2013	Slovenia	Lipej et al. (2014)
<i>Stegastes variabilis</i> (Castelnau, 1855)	West Atlantic	2013	Malta	Evans et al. (2015); Vella et al. (2015a)
<i>Lutjanus fulviflamma</i> (Forsskål, 1775)	Indo-Pacific/Red Sea	2013	Malta	Evans et al. (2015); Vella et al. (2015b)
<i>Cryptocentrus caeruleopunctatus</i> (Rüppell, 1830)	Red Sea	2014	Israel	Rothman and Goren (2015)
<i>Abudefduf hoefleri</i> (Steindachner, 1881)	East Atlantic	2014	Malta	Vella et al. (2016)
<i>Zebrasoma xanthurum</i> (Blyth, 1852)	Indian/Red Sea	2015	Italy	Guidetti et al. (2016)
<i>Paracanthurus hepatus</i> (Linnaeus, 1766)	Indo-Pacific	2015	Israel	Marcelli et al. (2017)
<i>Pomacanthus asfur</i> (Forsskal, 1775)	Indo-West Pacific/Red Sea	2015	Malta	Deidun and Bonnici in Karachle et al. (2016)
<i>Holacanthus africanus</i> Cadenat, 1951	Eastern Atlantic	2017	Malta	Deidun et al. (2017)
<i>Chrysiptera hemicyanea</i> (Weber, 1913)	Indo-West Pacific	2017	Malta	Deidun et al. (2018)
<i>Acanthurus sohal</i> (Forsskål, 1775)	Red Sea/Arabian Gulf	2018	Greece	Giovos et al. (2018)
<i>Abudefduf sexfasciatus</i> (Lacepède, 1801)	Indo-Pacific/Red Sea	2018	Greece	Giovos et al. (2018)
<i>Chaetodon auriga</i> Forsskål, 1775	Indo-Pacific/Red Sea	2018	Italy	Tiralongo et al. (2018)
<i>Arothron hispidus</i> (Linnaeus, 1758)	Indo-Pacific/Red Sea; Gulf of California and Panama	2018	Cyprus	Bariche et al. (2018)

## Discussion

The present record constitutes the first observation of *Chaetodipterus faber* in the Aegean coasts of Greece and the entire Mediterranean Sea.

Given the West Atlantic origin of the species, and the lack of additional sightings from western Mediterranean countries (i.e. Spain, Morocco, France) and even Eastern Atlantic Ocean close to the Strait of Gibraltar (i.e. Portugal, Morocco, Mauritania), we suspect that this specimen was most likely released from an aquarium, given the popularity of the species in the ornamental fish industry. Zenetos et al. (2016) recently reviewed the alien fishes possibly introduced in the Mediterranean Sea through aquarium releases. By analyzing the data collected by those authors, and with the present addition, a general increase of species reported through this pathway can be noticed in the recent years (Table 2; Figure 2). This may be partially attributed to the increasing number of citizen science efforts currently taking place in the Mediterranean basin. Regardless, increasing awareness is a goal in Regulation (EU) No 1143/2014 “on the prevention and management of the introduction and spread of invasive alien species” that applies to all EU countries. Thus, such a trend must recall the attention of national authorities and relevant stakeholders for advancing their efforts for the



**Figure 2.** Number of records of alien species suspected to be introduced through an aquarium release in the Mediterranean Sea

implementation of the Regulation. At the same time efforts must also target to increase the awareness of aquarium trade industry and aquarium enthusiasts for preventing the escalation of this phenomenon.

## Acknowledgements

We would like to warmly thank Kostas Fotaras for reporting the finding and donating the specimen to iSea and two anonymous reviewers and the editors for their insightful comments on the paper.

## Funding declaration

The authors received no specific funding for this work.

## References

- Ahnelt H (2016) Translocations of tropical and subtropical marine fish species into the Mediterranean. A case study based on *Siganus virgatus* (Teleostei: Siganidae). *Biologia* 71: 952–959, <https://doi.org/10.1515/biolog-2016-0106>
- Bariche M (2010) First record of the angelfish *Pomacanthus maculosus* (Teleostei: Pomacanthidae) in the Mediterranean. *Aqua* 16(1): 31–33
- Bariche M, Constantinou C, Sayar N (2018) First confirmed record of the white-spotted puffer *Arothron hispidus* (Linnaeus, 1758) in the Mediterranean Sea. *BioInvasions Records* 7: 433–436, <https://doi.org/10.3391/bir.2018.7.4.13>
- Bilecenoglu M, Kaya M (2006) A new alien fish in the Mediterranean Sea-Platax teira (Forsskal, 1775) (Osteichthyes: Ephippidae). *Aquatic Invasions* 1: 80–83, <https://doi.org/10.3391/ai.2006.1.2.5>
- Bitar G (2013) Sur la présence des poissons exotiques nouveaux de la côte libanaise (Méditerranée orientale). Rapport Commission internationale Mer Méditerranée 40: 592
- Crocetta F, Agius D, Balistreri P, Bariche M, Bayhan YK, Çakir M, Ciriaco S, CorsiniFoka M, Deduin A, El Zrelli R, Ergüden D, Evans J, Ghelia M, Giavasi M, Kleitou P, Kondylatos G, Lipej L, Mifsud C, Özvarol Y, Pagano A, Portelli P, Poursanidis D, Rabaoui L, Schembri PJ, Taşkin E, Tiralongo F, Zenetos A (2015) New Mediterranean biodiversity records (October 2015). *Mediterranean Marine Science* 16: 682–702, <https://doi.org/10.12681/mms.1477>
- Deidun A, Castriota L, Falautano M, Maggio T (2017) Yet another angelfish species for Mediterranean - the first record of *Holacanthus africanus* (Cadenat, 1951) from Maltese waters, central Mediterranean. *BioInvasions Records* 6: 373–376, <https://doi.org/10.3391/bir.2017.6.4.12>



- Deidun A, De Castro D, Bariche M (2018) First record of the azure demoiselle *Chysiptera hemicyanea* (Actinopterygii: Perciformes: Pomacentridae), in the Mediterranean Sea. *Acta Ichthyologica et Piscatoria* 48: 87–91, <https://doi.org/10.3750/AIEP/02294>
- Evans J, Barbara J, Schembri PJ (2015) Updated review of marine alien species and other ‘newcomers’ recorded from the Maltese Islands (central Mediterranean). *Mediterranean Marine Science* 16: 225–244, <https://doi.org/10.12681/mms.1064>
- Froese R, Pauly D (2019) FishBase, version 02/2019. [www.fishbase.org](http://www.fishbase.org) (accessed 9 November 2019)
- Figueiredo JL, dos Santos AP, Yamaguti N, Bernardes RA, Del Bianco Rossi-Wongtschowski CL (2002) Peixes da zona econômica exclusiva da Região Sudeste-Sul do Brasil: Levantamento com Rede de Meia-Água. São Paulo, Editora da Universidade de São Paulo, Imprensa Oficial do Estado, 242 pp
- Giovos I, Bernardi G, Romanidis-Kyriakidis G, Marmara D, Kleitou P (2018) First records of the fish *Abudefduf sexfasciatus* (Lacepede, 1801) and *Acanthurus sohal* (Forsskal, 1775) in the Mediterranean Sea. *BioInvasions Records* 7: 205–210, <https://doi.org/10.3391/bir.2018.7.2.14>
- Giovos I, Kleitou P, Poursanidis D, Batjakas I, Bernardi G, Crocetta F, Doumpas N, Kalogirou S, Kampouris TE, Keramidas I, Langeneck J, Maximidi M, Mitsou E, Stoilas VO, Tiralongo F, Romanidis-Kyriakidis G, Xentidis NJ, Zenetos A, Katsanevakis S (2019) Citizen-science for monitoring marine invasions and stimulating public engagement: a case project from the eastern Mediterranean. *Biological Invasions* 21: 3707–3721, <https://doi.org/10.1007/s10530-019-02083-w>
- Golani D, Salameh P, Sonin O (2010) First record of the emperor angelfish, *Pomacanthus imperator* (Teleostei: Pomacanthidae) and the second record of the spotbase burrfish *Cyclichthys spilostylus* (Teleostei: Diodontidae) in the Mediterranean. *Aquatic Invasions* 5: S41–S43, <https://doi.org/10.3391/ai.2010.5.S1.010>
- Guidetti P, Magnani L, Navone A (2016) First record of the acanthurid fish *Zebrasoma xanthurum* (Blyth, 1852) in the Mediterranean Sea, with some considerations on the risk associated with aquarium trade. *Mediterranean Marine Science* 17: 147–151, <https://doi.org/10.12681/mms.1470>
- Hayse JW (1990) Feeding Habits, Age, Growth, and Reproduction of Atlantic Spadefish *Chaetodipterus faber* (Pisces: Ephippidae) in South Carolina. *Fishery Bulletin* 88: 67–83
- Karachle PK, Angelidis A, Apostolopoulos G, Ayas D, Ballesteros M, Bonnici C, Brodersen MM, Castriota L, Chalari N, Cottalorda JM, Crocetta F, Deidun A, Đodo Ž, Dogrammatzi A, Dulčić J, Fiorentino F, Gönülal O, Harmelin JG, Insacco G, Izquierdo-Gómez D, Izquierdo Muñoz A, Joksimović A, Kavadas S, Malaquias MAE, Madrenas E, Massi D, Micarelli P, Minchin D, Önal U, Ovalis P, Poursanidis D, Siapatis A, Sperone E, Spinelli A, Stamouli C, Tiralongo F, Tunçer S, Yaglioglu D, Zava B, Zenetos A (2016) New Mediterranean biodiversity records (March 2016). *Mediterranean Marine Science* 17: 230–252, <https://doi.org/10.12681/mms.1684>
- Katsanevakis S, Zenetos A, Belchior C, Cardoso AC (2013) Invading European Seas: assessing pathways of introduction of marine aliens. *Ocean & Coastal Management* 76: 64–74, <https://doi.org/10.1016/j.ocecoaman.2013.02.024>
- Langeneck J, Marcelli M, Simak H (2012) Unexpected alien species in Cyprus waters: *Acanthurus coeruleus* (Actinopterygii: Acanthuridae). *Marine Biodiversity Records* 5: E116, <https://doi.org/10.1017/S1755267212001042>
- Langeneck J, Boyer M, De Cecco PG, Luciani C, Marcelli M, Vacchi M (2015) First record of *Acanthurus chirurgus* (Perciformes: Acanthuridae) in the Mediterranean Sea, with some distributional notes on Mediterranean Acanthuridae. *Mediterranean Marine Science* 16: 427–431, <https://doi.org/10.12681/mms.1239>
- Lelong P (2005) Capture d’un macabrit, *Epinephelus merra* Bloch, 1793 (Poisson, Serranidae), en Méditerranée nord-occidentale. *Marine Life* 15(1–2): 63–66
- Lieske E, Myers R (1994) Collins Pocket Guide. Coral reef fishes. Indo-Pacific & Caribbean including the Red Sea. Haper Collins Publishers, 400 pp
- Lipej L, Mavrič B, Dulčić J (2014) First record of *Chrysiptera cyanea* (Quoy and Gaimard, 1825) (Perciformes: Pomacentridae) in the Mediterranean Sea. *Journal of Applied Ichthyology* 30: 1053–1055, <https://doi.org/10.1111/jai.12472>
- Marcelli M, Dayan AR, Langeneck J (2017) Finding Dory: first record of *Paracanthurus hepatus* (Perciformes: Acanthuridae) in the Mediterranean Sea. *Marine Biodiversity* 47: 599–602, <https://doi.org/10.1007/s12526-016-0573-3>
- Padilla DK, Williams SL (2004) Beyond ballast water: aquarium and ornamental trades as sources of invasive species in aquatic ecosystems. *Frontiers in Ecology and the Environment* 2: 131–138, [https://doi.org/10.1890/1540-9295\(2004\)002\[0131:BBWAAO\]2.0.CO;2](https://doi.org/10.1890/1540-9295(2004)002[0131:BBWAAO]2.0.CO;2)
- Randall JE (1996) Caribbean reef fishes. Third Edition - revised and enlarged. T.F.H. Publications, Inc. Ltd., Hong Kong, 368 pp
- Robins CR, Ray GC (1986) A field guide to Atlantic coast fishes of North America. Houghton Mifflin Company, Boston, U.S.A., 354 pp
- Rothman SB, Goren M (2015) First record of the Red Sea shrimp-goby *Cryptocentrus caeruleopunctatus* in the Mediterranean Sea. *Marine Biodiversity Records* 8: e157, <https://doi.org/10.1017/S1755267215001323>

- Salameh P, Sonin O, Edelist D, Golani D (2012) The First Substantiated Record of the Yellowbar Angelfish, *Pomacanthus maculosus* (Actinopterygii: Perciformes: Pomacanthidae) in the Mediterranean. *Acta Ichthyologica Et Piscatoria* 42: 73–74, <https://doi.org/10.3750/AIP2011.42.1.10>
- Tiralongo F, Lipari R, Mancini E (2018) A new exotic fish for Mediterranean Sea: *Chaetodon auriga* Forsskal, 1775 (Perciformes: Chaetodontidae). *Mediterranean Marine Science* 19: 491–493, <https://doi.org/10.12681/mms.16929>
- Tiralongo F, Lillo AO, Tibullo D, Tondo E, Martire CL, D’Agnese R, Macali A, Mancini E, Giovos I, Coco S, Azzurro E (2019) Monitoring uncommon and non-indigenous fishes in Italian waters: One year of results for the AlienFish project. *Regional Studies in Marine Science* 28: 100606, <https://doi.org/10.1016/j.rsma.2019.100606>
- Tsiamis K, Zenetos A, Deriu I, Gervasini E, Cardoso AC (2018) The native distribution range of the European marine non-indigenous species. *Aquatic Invasions* 13: 187–198, <https://doi.org/10.3391/ai.2018.13.2.01>
- Vacchi M, Psomadakis PN, Repetto N, Würtz M (2010) First record of the dog snapper *Lutjanus jocu* in the Mediterranean Sea. *Journal of Fish Biology* 76: 723–728, <https://doi.org/10.1111/j.1095-8649.2009.02505.x>
- Vella A, Agius Darmanin S, Vella N (2015a) Morphological and genetic barcoding study confirming the first *Stegastes variabilis* (Castelnau, 1855) report in the Mediterranean Sea. *Mediterranean Marine Science* 16: 609–612, <https://doi.org/10.12681/mms.1391>
- Vella A, Vella N, Agius Darmanin S (2015b) First record of *Lutjanus fulvivflamma* (Osteichthyes: Lutjanidae) in the Mediterranean Sea. *Journal of the Black Sea/Mediterranean Environment* 21(3): 307–315
- Vella A, Vella N, Agius Darmanin S (2016) The first record of the African sergeant, *Abudefduf hoefleri* (Perciformes: Pomacentridae), in the Mediterranean Sea. *Marine Biodiversity Records* 9: 15, <https://doi.org/10.1186/s41200-016-0008-7>
- Weitzmann B, Mercader L, Azzurro E (2015) First sighting of *Zebrasoma flavescens* (Teleostei: Acanthuridae) and *Balistoides conspicillum* (Teleostei: Balistidae) in the Mediterranean Sea: Two likely aquarium releases. *Mediterranean Marine Science* 16: 147–150, <https://doi.org/10.12681/mms.963>
- Zammit E, Schembri PJ (2011) An overlooked and unexpected introduction? Occurrence of the spotted scat *Scatophagus argus* (Linnaeus, 1766) (Osteichthyes: Scatophagidae) in the Maltese Islands. *Aquatic Invasions* 6: S79–S83, <https://doi.org/10.3391/ai.2011.6.S1.018>
- Zenetos A, Apostolopoulos G, Crocetta F (2016) Aquaria kept marine fish species possibly released in the Mediterranean Sea: First confirmation of intentional release in the wild. *Acta Ichthyologica et Piscatoria* 46: 255–262, <https://doi.org/10.3750/AIP2016.46.3.10>
- Zenetos A, Corsini-Foka M, Crocetta F, Gerovasileiou V, Karachle PK, Simbhora N, Tsiamis K, Pancucci-Papadopoulou MA (2018) Deep cleaning of alien species records in the Greek Seas (2018 update). *Management of Biological Invasions* 9: 209–226, <https://doi.org/10.3391/mbi.2018.9.3.04>